

Commercial Vehicle Battery Solutions

Making your fleet unstoppable

Comprehensive battery range for all commercial vehicle needs:


StrongPRO

EndurancePRO

PowerPRO

StartPRO

PowerPRO Agri & Construction



Made in Europe by Exide Technologies Original Equipment Manufacturer









Batteries that mean business

High-performance batteries to keep your business moving

Logistics is more important than ever, with customers expecting faster and more predictable deliveries. In this competitive environment, fleet owners are focusing on total cost of ownership. After all, when a truck is off the road, it leads to customer dissatisfaction, unused labor and capital, and potential fines and penalties.


Deta designed its battery range to reduce the risk of breakdowns and give customers a competitive advantage. You get market-leading performance, lower total cost of ownership, and battery options for any use case.


As a true expert in OE batteries, Deta helps you select the right battery. For fleet owners and installers alike, it is vital to make the right choice for the conditions of use. Three important criteria to consider in battery performance are: vibration resistance, cycling endurance and cranking power.



Three main factors when selecting the right battery:

Vibration resistance: For trucks with rear-chassis battery installations (e.g. Euro 5/ Euro 6 trucks), robust and highvibration-resistant batteries are mandatory to avoid breakdowns. Vibration resistance is also required for any vehicle operating on bad roads or rough terrain.








 \odot

The perfect battery for every need



Select the right Deta battery for your needs



Trusted by leading commercial vehicle manufacturers

We have been supplying lead-acid batteries to car and truck makers for 120 years. We design the most technically advanced products in the industry, and were the first to introduce High Vibration Resistant (HVR®) batteries for trucks back in 2008. Vehicle manufacturers trust the quality of our products and our commitment to excellence in manufacturing.

Our company works with leading commercial vehicle manufacturers, including:

Isuzu, Iveco, MAN, Nissan, Renault Volvo Trucks, Scania, Bobcat, Case, Claas, Deutz Fahr, Evobus, John Deere, Komatsu, New Holland, Wacker Neuson, and many others...



StrongPRO







Innovating the indestructible battery

The new Deta StrongPRO features a next-generation HVR® (high vibration resistance) design, and comes with Carbon Boost™, our smart solution for reduced acid stratification and faster recharge. Since the AdBlue® tank was introduced (Euro 5/6), truck makers have moved the battery to the rear chassis, where increased vibrations cause early battery failures. Deta's unique HVR® technology prevents this, and enables StrongPRO to pass the extreme vibration tests under the new European V4 standard (EN 50342-1:2015).

Using StrongPRO means less risk of breakdowns, more starting reliability, and longer lifespan – providing the lowest total cost of ownership for your fleet. As a leading OEM supplier, Deta brings the latest technology straight to the aftermarket.

NEW!

Benefits

- Extremely robust latest HVR® technology
- Mandatory for chassis-end installation (e.g. Euro 5/ Euro 6 trucks) and ideal for rough terrain
- Carbon Boost™ for faster recharge and reduced acid stratification
- Ideal for long-haul trucks with comfort equipment to support "life on board"
- Maximum starting reliability after overnight stay
- OE experience inside
- First class safety features
- Maintenance free no topping up
- Optimal total cost of ownership (TCO)






















The Carbon Boost™ Effect

Our smart electrochemical solution for longer battery life

Early battery failures are common in commercial vehicles, caused by exposure to deep discharge conditions. Challenges to the battery include frequent starting and stopping for urban deliveries, and overnight heating and lighting for long-haul trucks. This strain leads to sulphation and acid stratification, damaging battery lifespan.


With Carbon Boost™, unique carbon additives increase the speed at which sulphate particles dissolve. This leads to faster recharging, protection from sulphation, and less stratification.

The carbon additives also promote controlled gassing during recharging, which keeps the electrolyte mixed and further reduces stratification.

The benefits of Carbon Boost:

- > Improved charge acceptance
- > Faster recharging
- Reduced acid stratification
- Enhanced cycling endurance

Sulphation: Sulphate particles progressively cover the negative plates. This makes recharging less efficient, because energy is used to dissolve the sulphate.





Without Carbon Boost^{TI}

With Carbon Boost™

Acid stratification: Sulphate particles turn into sulphuric acid during charging. This is heavier than the electrolyte, so it sinks to the bottom, creating a range of negative effects, including reduced capacity.





Controlled gassing mixes the electrolyte and reduces stratification

Without Carbon Boost™



EndurancePRO

Made for severe cycling



Benefits

- > 50% more cycle life compared to standard truck battery (advanced SHD technology with glass mat separators)
- > Ideal for long-haul trucks with comfort equipment to support "life on board"
- > Ideal for delivery trucks with hydraulic/electric lifts
- > Improved durability
- Low maintenance may need water topping
- > OE experience inside





EQUIPMENT





DELIVERY





5

PowerPRO

Impressive power at every start



StartPRO

Reliable starting power for standard use



Benefits

- > Superior cranking power (more plates and active material to maximize grid surface)
- Ideal for cold temperatures
- Ideal for trucks/ buses with big engines
- Robust and reliable design with hot melt fixation of plate groups
- Maintenance free no topping up
- OE experience inside









Benefits

- > Ideal for trucks without special requirements in terms of vibration resistance, cycling or cranking power
- Robust and reliable design with hot melt fixation of plate groups
- Complete range covering almost 100% of vehicle parc, including special types
- Low maintenance may need water topping up



NEW!

PowerPRO Agri & Construction

Choose the original part

Designed specifically to fulfill the demanding requirements of major agriculture and construction OEMs, PowerPRO Agri & Construction offers outstanding reliability, starting power and high capacity.



Benefits

- > Superior cranking power (more plates and active material to maximize grid surface)
- > Specifically designed for agricultural, forestry and construction machinery
- Robust design with hot melt fixation of plate groups
- > Wide range including special types
- > True OE design and construction (original part)
- Maintenance Free no topping up









TRUE OE CONSTRUCTION FIT



| Type List | | | CODE | PERFORMANCE | | DIMENSIONS | | | TECHNICAL | | |
|--|-----------------------------------|----------|------------------|-------------|--------|------------|-----------|------------|-----------------|----------------|------------|
| | | | | CAPACITY | CCA | | | | CHARACTERISTICS | | |
| | | | CODE | Ah | A (EN) | L (mm) | H (mm) | W (mm) | | HOLD DOWN | вох |
| | NEW! | | DE1403 | 140 | 800 | 513 | 223 | 189 | ETN 3 | Во | D04 |
| HVR* TECHNOLOGY MIGH VERATEON RESETANT | StrongPRO | | DE1853 | 185 | 1100 | 513 | 223 | 223 | ETN 3 | Во | D05 |
| | | | DE2353 | 235 | 1200 | 518 | 240 | 279 | ETN 3 | Во | D06 |
| | | | DX1803 | 180 | 1000 | 512 | 222 | 222 | ETN 3 | Во | D05 |
| SHD TECHNOLOGY | EndurancePRO | | DX1803 | 225 | 1000 | 513 518 | 223 | 223 | ETN 3 | Во | D05 |
| | | | DA2253 | 225 | 1100 | 210 | 240 | 279 | LIN 3 | ВО | D00 |
| | | | | | | | | | | | |
| HDX | DowarDDO | | DF1202 | 120 | 870 | 349 | 235 | 175 | ETN 0 | B1 | D02 |
| | PowerPRO | DF1420 | 142 | 850 | 349 | 290 | 175 | ETN o | Во | D03 | |
| | | | DF1421 | 142 | 850 | 349 | 290 | 175 | ETN 1 | Во | D03 |
| | | | DF1453 | 145 | 900 | 513 | 223 | 189 | ETN 3 | Во | D04 |
| | | | DF1853 | 185 | 1150 | 513 | 223 | 223 | ETN 3 | Во | D05 |
| | | | DF2353 | 235 | 1300 | 518 | 240 | 279 | ETN 3 | Во | D06 |
| | NEW! PowerPRO Agri & Construction | | DJ1102 | 110 | 900 | 349 | 235 | 175 | ETN 0 | B1 | D02 |
| | | | DJ1100 | 110 | 900 | 349 | 235 | 175 | ETN o | Во | D02 |
| | | | DJ1523 | 152 | 1130 | 513 | 223 | 189 | ETN 3 | Во | D04 |
| | | | DJ1723 | 172 | 1390 | 513 | 223 | 223 | ETN 3 | Во | D05 |
| | | | DJ2353 | 235 | 1450 | 518 | 240 | 279 | ETN 3 | Во | D06 |
| | | | DJ1805 | 180 | 1000 | 510 | 225 | 218 | ETN 3 | В3 | D09 |
| | | | DJ165A | 165 | 850 | 354 | 285 | 241 | ETN 6 | Во | D67 |
| | | | DJ1355 | 135 | 1000 | 514 | 210 | 175 | ETN 3 | В3 | DB8 |
| | | | DJ110B | 110 | 950 | 330 | 240 | 173 | ETN 9 | Во | G31 |
| | | | DJ050C | 50 | 800 | 260 | 206 | 173 | ETN 1 | В7 | G34 |
| | | | DJ1000 | 100 | 850 | 353 | 190 | 175 | ETN o | B13 | Lo5 |
| | | | DCavos | 7/0 | 000 | 500 | 205 | .75 | ETNIO | Da | ATAA |
| HD | = 1 | StartPRO | DG1402 DG1008 | 140 | 900 | 508 | 205 | 175 | ETN o | B1 | ATM Do1 |
| | | | | 100 | | 413 | 220 | 175 | | B3 | D01 |
| | | | DG1109 DG1100 | 110 | 750 | 413 349 | 220 | 175 175 | ETN 1 ETN 0 | B ₃ | D01 |
| | | | DG1101 | 110 | 750 | 349 | 235 | 175 | ETN 1 | Во | D02 |
| | | | DG1102 | 110 | 750 | 349 | 235 | 175 | ETN 0 | B1 | D02 |
| | | | DG1250 | 125 | 760 | 349 | 290 | 175 | ETN 0 | Во | D03 |
| | | | DG1251 | 125 | 760 | 349 | 290 | 175 | ETN 1 | Во | D03 |
| | | | DG1203 | 120 | 680 | 513 | 223 | 189 | ETN 3 | Во | D04 |
| | | | DG1403 | 140 | 800 | 513 | 223 | 189 | ETN 3 | Во | D04 |
| | | | DG1553 | 155 | 900 | 513 | 223 | 223 | ETN 3 | Во | D05 |
| | | | DG1803 | 180 | 1000 | 513 | 223 | 223 | ETN 3 | Во | D05 |
| | | | DG2153 | 215 | 1200 | 518 | 240 | 279 | ETN 3 | Во | D06 |
| | | | DG2154 | 215 | 1200 | 518 | 240 | 279 | ETN 4 | Во | D06 |
| | | | DG1206 | 120 | 680 | 510 | 225 | 175 | ETN 4 | В3 | D08 |
| | | | DG1406 | 140 | 800 | 510 | 225 | 175 | ETN 4 | В3 | D08 |
| | | | DG1806 | 180 | 1000 | 510 | 225 | 218 | ETN 4 | В3 | D09 |
| | | | DG1355 | 135 | 1000 | 514 | 210 | 175 | ETN 3 | В3 | DB8 |
| | | | DG1705 | 170 | 950 | 514 | 210 | 218 | ETN 3 | B3 | DB9 |
| | | | DG1353 | 135 | 1000 | 514 | 210 | 218 | ETN 3 | Во | DB9 |
| | | | DG145A | 145 | 1000 | 360 | 240 | 253 | ETN 6 | Во | F21 |
| | | | DG110B | 110 | 950 | 330 | 240 | 173 | ETN 9 | Во | G31 |







Exide Technologies, with operations in more than 80 countries and more than 120 years of experience, is one of the world's largest producers and recyclers of lead-acid batteries. The company develops state-of-the-art energy storage solutions for the automotive and industrial market. Leading car, truck and lift truck manufacturers trust in Exide Technologies as an original equipment supplier. Exide also serves the aftermarket through a portfolio of successful and well-known brands.

Exide Transportation manufactures batteries for light and commercial vehicles, as well as agricultural and marine leisure applications. Industrial markets – under the division **GNB Industrial Power** – include efficient energy storage solutions for motive power applications such as lift trucks, cleaning machines and other commercial electrical vehicles, and network power applications such as telecommunications systems, renewables, and uninterruptible power supply (UPS).

Exide's engineers have always been at the forefront of bringing important innovations to the industry. Exide's ISO/TS-certified manufacturing facilities ensure that customers receive products that are produced with maximum efficiency and fulfill the highest quality standards, while minimizing impact on the environment.



European Headquarters

Exide Technologies SAS 5 allée des Pierres Mayettes, 92636 Gennevilliers France Tel: +33 1 41 21 23 00

Tel: +33 1 41 21 23 00 Fax +33 1 41 21 27 15 www.exide.com Deta Battery Finder



